

sac lh(1)

Name

sac lh - print some or all header values from a SAC file

Synopsis

```
sac lh [-vV] [--help] [-h=<headerList>[,<headerList>...]]... [<sacfileList>...]
```

Description

print some or all header values from a SAC file

[View source code here.](#)

[SAC Manual](#)

[SAC file format](#)

Options

-h, --headers=<headerList>[,<headerList>...]

Headers to print

--help

display a help message

-v, --verbose

Verbose

-V, --version

Print version and exit

Arguments

[<sacfileList>...]

SAC files

Examples

Print the all headers for a SAC file.

> saclh CO.JSC.00.HHZ.M.2021.061.000000.SAC

CO.JSC.00.HHZ.M.2021.061.000000.SAC

```
-----  
      delta =      0.01      depmin =      -12345      depmax =      -12345      scale =  
503735424      odelta =      -12345  
      b =      0.0004      e =      59.9904      o =      -12345      a =  
-12345      fmt =      -12345  
      t0 =      -12345      t1 =      -12345      t2 =      -12345      t3 =  
-12345      t4 =      -12345  
      t5 =      -12345      t6 =      -12345      t7 =      -12345      t8 =  
-12345      t9 =      -12345  
      f =      -12345      resp0 =      -12345      resp1 =      -12345      resp2 =  
-12345      resp3 =      -12345  
      resp4 =      -12345      resp5 =      -12345      resp6 =      -12345      resp7 =  
-12345      resp8 =      -12345  
      resp9 =      -12345      stla =      34.2818      stlo =      -81.2597      stel =  
103      stdp =      0  
      evla =      -12345      evlo =      -12345      evel =      -12345      evdp =  
-12345      mag =      -12345  
      user0 =      -12345      user1 =      -12345      user2 =      -12345      user3 =  
-12345      user4 =      -12345  
      user5 =      -12345      user6 =      -12345      user7 =      -12345      user8 =  
-12345      user9 =      -12345  
      dist =      -12345      az =      -12345      baz =      -12345      gearc =  
-12345      sb =      -12345  
      sdelta =      -12345      depmen =      -12345      cmpaz =      0      cmpinc =  
0      xminimum =      -12345  
      xmaximum =      -12345      yminimum =      -12345      ymaximum =      -12345      unused6 =  
-12345      unused7 =      -12345  
      unused8 =      -12345      unused9 =      -12345      unused10 =      -12345      unused11 =  
-12345      unused12 =      -12345  
      nzyear =      2021      nzjday =      61      nzhour =      0      nzmin =  
0      nzsec =      0  
      nzmsec =      8      nvhdr =      6      norid =      -12345      nevid =  
-12345      npts =      6000  
      nsnpts =      -12345      nwfid =      -12345      nxsize =      -12345      nysize =  
-12345      unused15 =      -12345  
      iftype =      1      idep =      -12345      iztype =      -12345      unused16 =  
-12345      iinst =      -12345  
      istreg =      -12345      ievreg =      -12345      ievtyp =      -12345      iqual =  
-12345      isynth =      -12345  
      imagtyp =      -12345      imagsrc =      -12345      unused19 =      -12345      unused20 =  
-12345      unused21 =      -12345  
      unused22 =      -12345      unused23 =      -12345      unused24 =      -12345      unused25 =  
-12345      unused26 =      -12345  
      leven =      1      lspol =      -12345      lovrok =      -12345      lcalda =  
-12345      unused27 =      -12345  
      kstnm =      JSC      kevnm =      -12345      khole =      00  
      ko =      -12345      ka =      -12345      kt0 =      -12345      kt1 =
```

```
-12345
  kt2 = -12345    kt3 = = -12345    kt4 = -12345    kt5 =
-12345
  kt6 = -12345    kt7 = = -12345    kt8 = -12345    kt9 =
-12345
  kf = -12345    kuser0 = = -12345    kuser1 = -12345    kuser2 =
-12345
  kcmpnm = HHZ    knetwk = = C0    kdatrd = -12345    kinst =
Velocity
```

Print the a and kstnm headers for a SAC file.

```
> saclh -h b,kstnm CO.JSC.00.HHZ.M.2021.061.000000.SAC
CO.JSC.00.HHZ.M.2021.061.000000.SAC:      b =      0.0004    kstnm =    JSC
```